SHELL 22.0





SHELL 22.0 - Contents

- Configuring crash handling and Minidump files
- New preferences



Configuring crash handling and Minidump files

All the Oasys Ltd software contains a "crash handler" to deal with the consequences of a crash. On Windows platforms this can write a minidump file which, if sent to Oasys Ltd for debugging, can sometimes enable us to determine the cause of the crash and suggest a solution. It also allows us to improve the software by fixing bugs.

Historically these minidump files have been written in an obscure directory which is difficult for users to find so in V22 a new feature has been added which can:


- Compose an email automatically using the machine's default email client software.
- Attach the minidump file
- Include further information about the crash
- Give the user opportunity to add more information.


This email is **not** sent automatically, the user must choose to send it and can decide not to. The feature can also be turned off.



Configuring crash handling and Minidump files (ctd)

 This can be configured on a per-programme basis but it is likely that most users will want all the Oasys Ltd software to behave in the same way. To make this easier configuration can be performed from within the Shell using "Utilities, Crash Handling":







New preferences

Preference	Description
oasys*javascript_maximum_memory_size	Maximum memory allocated for garbage collection (MB)
<pre>oasys*cd_compose_email shell*cd_compose_email</pre>	Whether or not to offer to compose an email for sending minidump files.
<pre>oasys*cd_email_address shell*cd_email_address</pre>	Email address in To: field of crash dump emails.
oasys*cd_cc_addresses shell*cd_cc_addresses	Email address(es) in Cc: field of crash dump emails.
<pre>oasys*cd_custom_email shell*cd_custom_email</pre>	Custom method of sending emails.
<pre>oasys*cd_dump_directory shell*cd_dump_directory</pre>	Directory in which to save crash dump files
oasys*cd_email_method shell*cd_email_method	Method used to create crash dump emails.
<pre>oasys*cd_minidump_file shell*cd_minidump_file</pre>	Whether or not to create minidump files, and what to do with them.



Contact us



Global / UK

T: +44 121 213 3399

E: dyna.support@arup.com

India

T: +91 40 69019723 / 98 E: <u>india.support@arup.com</u>

China

T: +86 21 3118 8875

E: china.support@arup.com

USA

T: +1 415 940 0959

E: <u>us.support@arup.com</u>

Follow us on:







Subscribe to our newsletter:



